BATTERY FREE POWER FREE OIL FREE 4.2METRE IT'S EASY. IT'S FAST.





ecolíft ...a major step change in low-level access.

It's so easy, fast and efficient to use, it's intuitive. Just step in and turn the handle! And you don't need power; no batteries to charge or mains power consumption. We call it 'nonpowered powered access!'©

Step into the future, it's here today! Step into an Ecolift!

Gone are the days of climbing steps or podiums, no more slips, trips or having to balance!

Stop wherever you want up to 4.2m working height.

You're always safe, fully guarded from the ground up. And its low maintenance, in fact it's virtually maintenance free, it's so simple!

IPAF (E

Power Towers Limited Tel: +44 (0)116 200 1757 sales@powertowers.com | powertowers.com

OPERATING SPECIFICATIONS

Working Dimensions

, and a second sec	
Maximum working height:	4.20 m
Maximum platform height:	2.20 m
Basket dimensions:	850 mm (L) x 644 mm (W)
Working footprint:	1.28 m x 0.7 m
Safe working load:	150 kg (1 person + tools)
Maximum manual force:	200 N
Maximum gradient for operat	tion: 0 degrees
Maximum wind force:	Internal use only,
	0 (zero) mph
Maximum wheel force:	234 kg
Maximum castor point load:	234 kg (229 kN)
Sound pressure level:	Less than 70Dba
Closed Dimensions	
Length:	1.28 m
Width:	0.7 m
Height:	1.94 m
Weight:	305 kg
Lift Cycles	Unlimited

ECOLIFT FEATURES

O Step into the platform, no climbing.

- O Intuitive to operate turn handle to elevate. Patented* lift mechanism, no power required.
- O 'Auto-lok' brake on elevation.
- O Lightweight, easy to manoeuvre.
- O Small footprint (1.28m x 700mm).
- O Unlimited lift cycles, can be used 24/7.
- O Robust design for years of trouble free service.
- O Minimal operational costs, virtually maintenance free.



This brochure and associated data is intended as a guide only and as such is not legally bindir nor does it form part of any contract. All dimensions are approx

